


## Geberit Mapress T-Stück reduziert

- Pressindikator
- Unverpresst undicht
- Dichtring aus CIIR schwarz
- Pressmuffe mit transparentem Schutzstopfen



Orig. Nr.	Ø d mm	Ø d1 mm	Ø d2 mm	L cm	L1 cm	Z cm	Z1 cm	Z2 cm	l cm	l2 cm	Gewicht kg	NPK-Nr.	☞ Stück	☞ Stück		CHF Stück
31208	18	15	15	7.9	4.1	1.4	2.1	2.5	3.4	4.5	0.08	264.133	5	25	32110-2062	15.85
31204	18	15	18	6.8	4.1	1.4	2.1	1.4	3.4	3.4	0.08	264.133	1	20	32110-0075	15.95
31227	22	15	18	8.5	4.3	1.6	2.3	2.8	3.7	4.8	0.10	264.134	1	20	32110-2063	18.05
31206	22	15	22	7.4	4.3	1.6	2.3	1.6	3.7	3.7	0.10	264.134	1	20	32110-0076	16.70
31228	22	18	18	8.5	4.3	1.6	2.3	2.8	3.7	4.8	0.12	264.134	1	20	32110-2064	18.05
31207	22	18	22	7.4	4.3	1.6	2.3	1.6	3.7	3.7	0.10	264.134	1	20	32110-0077	16.70
31209	28	15	28	8.4	4.6	1.9	2.6	1.9	4.2	4.2	0.13	264.135	1	10	32110-0078	19.80
31210	28	18	28	8.4	4.6	1.9	2.6	1.9	4.2	4.2	0.13	264.135	1	10	32110-0079	19.90
31234	28	22	22	9.0	4.7	1.9	2.6	2.7	4.2	4.8	0.14	264.135	5	25	32110-2065	21.35
31211	28	22	28	8.4	4.7	1.9	2.6	1.9	4.2	4.2	0.14	264.135	1	10	32110-0080	19.90
31212	35	15	35	10.0	4.9	2.4	2.9	2.4	5.0	5.0	0.17	264.136	1	5	32110-0081	24.50
31213	35	18	35	10.0	4.9	2.4	2.9	2.4	5.0	5.0	0.18	264.136	1	5	32110-0082	24.40
31235	35	22	28	10.4	5.0	2.4	2.9	3.1	5.0	5.4	0.19	264.136	1	5	32110-2066	26.70
31214	35	22	35	10.0	5.0	2.4	2.9	2.4	5.0	5.0	0.18	264.136	1	5	32110-0083	24.50
31242	35	28	28	10.4	5.3	2.4	3.0	3.1	5.0	5.4	0.20	264.136	1	5	32110-2067	26.70
31215	35	28	35	10.0	5.3	2.4	3.0	2.4	5.0	5.0	0.20	264.136	1	5	32110-0084	24.60
31216	42	15	42	11.4	5.3	2.7	3.3	2.7	5.7	5.7	0.24	264.137	1	10	32110-0085	35.35
31217	42	18	42	11.4	5.3	2.7	3.3	2.7	5.7	5.7	0.24	264.137	1	4	32110-0086	35.35
31243	42	22	35	11.5	5.4	2.7	3.3	3.2	5.7	5.8	0.24	264.137	1	5	32110-2068	35.20
31218	42	22	42	11.4	5.4	2.7	3.3	2.7	5.7	5.7	0.24	264.137	1	4	32110-0087	35.35
31251	42	28	35	11.5	5.7	2.7	3.4	3.2	5.7	5.8	0.24	264.137	1	8	32110-2069	35.20
31219	42	28	42	11.4	5.7	2.7	3.4	2.7	5.7	5.7	0.25	264.137	1	4	32110-0088	35.35
31220	42	35	42	11.4	6.1	2.7	3.5	2.7	5.7	5.7	0.27	264.137	1	4	32110-0089	35.20
31221	54	15	54	13.8	5.9	3.4	3.9	3.4	6.9	6.9	0.35	264.138	1	10	32110-0090	40.65
31222	54	18	54	13.8	5.9	3.4	3.9	3.4	6.9	6.9	0.34	264.138	1	2	32110-0091	40.65
31223	54	22	54	13.8	6.0	3.4	3.9	3.4	6.9	6.9	0.35	264.138	1	2	32110-0092	40.65
31224	54	28	54	13.8	6.3	3.4	4.0	3.4	6.9	6.9	0.36	264.138	1	2	32110-0093	40.45
31225	54	35	54	13.8	6.7	3.4	4.1	3.4	6.9	6.9	0.37	264.138	1	2	32110-0094	40.75
31226	54	42	54	13.8	7.1	3.4	4.1	3.4	6.9	6.9	0.40	264.138	1	2	32110-0095	40.65
31229	76.1	22	76.1	23.0	7.7	6.2	5.6	6.2	11.5	11.5	0.98	264.141	1	5	32110-0424	178.95
31230	76.1	28	76.1	23.0	7.9	6.2	5.6	6.2	11.5	11.5	1.02	264.141	1	5	32110-0425	178.95
31231	76.1	35	76.1	23.0	8.1	6.2	5.5	6.2	11.5	11.5	1.01	264.141	1	5	32110-0426	178.95
31232	76.1	42	76.1	23.0	8.1	6.2	5.1	6.2	11.5	11.5	1.04	264.141	1	5	32110-0427	178.95
31233	76.1	54	76.1	23.0	8.7	6.2	5.2	6.2	11.5	11.5	1.07	264.141	1	5	32110-0428	178.95
31236	88.9	22	88.9	26.0	8.5	7.0	6.4	7.0	13.0	13.0	1.33	264.142	1	5	32110-0429	185.20
31237	88.9	28	88.9	26.0	8.7	7.0	6.4	7.0	13.0	13.0	1.53	264.142	1	5	32110-0430	185.20
31238	88.9	35	88.9	26.0	9.0	7.0	6.4	7.0	13.0	13.0	1.35	264.142	1	5	32110-0431	185.20
31239	88.9	42	88.9	26.0	9.2	7.0	6.2	7.0	13.0	13.0	1.37	264.142	1	5	32110-0432	185.20
31240	88.9	54	88.9	26.0	9.3	7.0	5.8	7.0	13.0	13.0	1.40	264.142	1	5	32110-0433	185.20
31241	88.9	76.1	88.9	26.0	11.4	7.0	6.1	7.0	13.0	13.0	1.57	264.142	1	5	32110-0434	185.20
31244	108	22	108	31.0	10.3	8.0	8.2	8.0	15.5	15.5	1.96	264.143	1	5	32110-0435	226.80
31245	108	28	108	31.0	10.5	8.0	8.2	8.0	15.5	15.5	1.97	264.143	1	6	32110-0436	226.80
31246	108	35	108	31.0	10.8	8.0	8.2	8.0	15.5	15.5	1.97	264.143	1	5	32110-0437	226.80
31247	108	42	108	31.0	11.0	8.0	8.0	8.0	15.5	15.5	2.00	264.143	1	5	32110-0438	226.80
31248	108	54	108	31.0	11.3	8.0	7.8	8.0	15.5	15.5	1.97	264.143	1	5	32110-0439	226.80
31249	108	76.1	108	31.0	12.4	8.0	7.1	8.0	15.5	15.5	2.16	264.143	1	5	32110-0440	226.80
31250	108	88.9	108	31.0	13.5	8.0	7.5	8.0	15.5	15.5	2.27	264.143	1	5	32110-0441	226.80