


Mapress Gas T-Stück reduziert

- Pressindikator
- Unverpresst undicht
- Gelb markiert
- Dichtring aus HNBR gelb
- Pressmuffe mit gelbem Schutzstopfen



Orig. Nr.	Ø d mm	Ø d1 mm	Ø d2 mm	L cm	L1 cm	Z cm	Z1 cm	Z2 cm	I cm	I2 cm	Gewicht kg	NPK-Nr.	Stück	Stück	CHF Stück	
34035	18	15	18	6.8	4.1	1.4	2.1	1.4	3.4	3.4	0.08	264.133	1	4	32110-0551	15.95
34036	22	15	22	7.4	4.3	1.6	2.3	1.6	3.7	3.7	0.10	264.134	1	5	32110-0552	16.50
34037	22	18	22	7.4	4.3	1.6	2.3	1.6	3.7	3.7	0.10	264.134	1	5	32110-0553	16.50
34038	28	15	28	8.4	4.6	1.9	2.6	1.9	4.2	4.2	0.12	264.135	1	4	32110-0554	20.00
34039	28	18	28	8.4	4.6	1.9	2.6	1.9	4.2	4.2	0.15	264.135	1	5	32110-0555	20.00
34040	28	22	28	8.4	4.7	1.9	2.6	1.9	4.2	4.2	0.16	264.135	1	5	32110-0556	20.00
34041	35	15	35	10.0	4.9	2.4	2.9	2.4	5.0	5.0	0.15	264.136	1	4	32110-0557	24.50
34042	35	18	35	10.0	4.9	2.4	2.9	2.4	5.0	5.0	0.20	264.136	1	4	32110-0558	24.80
34043	35	22	35	10.0	5.0	2.4	2.9	2.4	5.0	5.0	0.18	264.136	1	10	32110-0559	24.80
34044	35	28	35	10.0	5.3	2.4	3.0	2.4	5.0	5.0	0.23	264.136	1	10	32110-0560	24.50
34140	42	15	42	11.4	5.3	2.7	3.3	2.7	5.7	5.7	0.25	264.137	1	5	32110-2151	35.45
34141	42	18	42	11.4	5.3	2.7	3.3	2.7	5.7	5.7	0.25	264.137	1	5	32110-2153	35.45
34045	42	22	42	11.4	5.4	2.7	3.3	2.7	5.7	5.7	0.26	264.137	1	5	32110-0561	35.35
34046	42	28	42	11.4	5.7	2.7	3.4	2.7	5.7	5.7	0.28	264.137	1	5	32110-0562	35.35
34047	42	35	42	11.4	6.1	2.7	3.5	2.7	5.7	5.7	0.27	264.137	1	4	32110-0563	35.45
34048	54	22	54	13.8	6.0	3.4	3.9	3.4	6.9	6.9	0.37	264.138	1	5	32110-0564	40.95
34049	54	28	54	13.8	6.3	3.4	4.0	3.4	6.9	6.9	0.39	264.138	1	5	32110-0565	40.75
34050	54	35	54	13.8	6.7	3.4	4.1	3.4	6.9	6.9	0.45	264.138	1	4	32110-0566	40.75
34051	54	42	54	13.8	7.1	3.4	4.1	3.4	6.9	6.9	0.41	264.138	1	4	32110-0567	40.95
34079	76.1	35	76.1	23.0	8.1	6.2	5.5	6.2	11.5	11.5	0.98	264.141	1	5	32110-1458	175.80
34080	76.1	42	76.1	23.0	8.1	6.2	5.1	6.2	11.5	11.5	1.06	264.141	1	5	32110-1459	175.80
34097	76.1	54	76.1	23.0	8.7	6.2	5.2	6.2	11.5	11.5	1.05	264.141	1	5	32110-1467	175.80
34081	88.9	22	88.9	26.0	8.5	7.0	6.4	7.0	13.0	13.0	1.25	264.142	1	5	32110-1460	181.00
34082	88.9	28	88.9	26.0	8.7	7.0	6.4	7.0	13.0	13.0	1.27	264.142	1	5	32110-1461	181.00
34085	88.9	35	88.9	26.0	9.0	7.0	6.4	7.0	13.0	13.0	1.45	264.142	1	5	32110-1462	181.00
34088	88.9	42	88.9	26.0	9.2	7.0	6.2	7.0	13.0	13.0	1.28	264.142	1	5	32110-1463	181.00
34098	88.9	54	88.9	26.0	9.3	7.0	5.8	7.0	13.0	13.0	1.33	264.142	1	5	32110-1468	181.00
34094	108	22	108	31.0	10.3	8.0	8.2	8.0	15.5	15.5	1.84	264.143	1	5	32110-1464	222.60
34095	108	28	108	31.0	10.5	8.0	8.2	8.0	15.5	15.5	2.03	264.143	1	5	32110-1465	222.60
34096	108	35	108	31.0	10.8	8.0	8.2	8.0	15.5	15.5	1.88	264.143	1	5	32110-1466	222.60
34099	108	54	108	31.0	11.3	8.0	7.8	8.0	15.5	15.5	1.90	264.143	1	5	32110-1469	222.60
34125	108	42	108	31.0	11.0	8.0	8.0	8.0	15.5	15.5	1.85	264.143	1	5	32110-1470	222.60