


**Optipress-Rohrbogen 81083**

- PN 16, Edelstahl 1.4401



Orig. Nr.	W °	d mm	L mm	L1 mm	L2 mm	L3 mm	Gewicht kg	NPK-Nr.	☞ Stück	☞ Stück		CHF Stück
8108322	15°	15.0	80	134	48	102	0.07	262.312	1	230	32108-0356	12.70
8108323	15°	18.0	90	132	57	99	0.09	262.313	1	150	32108-0357	13.15
8108324	15°	22.0	100	129	66	95	0.15	262.314	1	120	32108-0358	13.65
8108325	15°	28.0	110	133	74	97	0.19	262.315	1	85	32108-0359	14.70
8108326	15°	35.0	130	162	90	122	0.37	262.316	1	45	32108-0360	30.20
8108327	15°	42.0	170	206	114	150	0.57	262.317	1	30	32108-0361	38.00
8108328	15°	54.0	220	246	155	181	0.88	262.318	1	15	32108-0362	49.00
8108329	15°	76.1	359	359	210	210	2.75	262.321	1		32108-0363	123.80
8108330	15°	88.9	415	415	275	275	3.60	262.322	1		32108-0364	139.40
8108331	15°	108.0	483	483	205	205	5.15	262.323	1		32108-0365	188.25
8108332	30°	15.0	80	135	44	99	0.07	262.312	1	350	32108-0366	12.70
8108333	30°	18.0	90	133	52	95	0.09	262.313	1	180	32108-0367	13.15
8108334	30°	22.0	100	130	60	90	0.14	262.314	1	100	32108-0368	13.65
8108335	30°	28.0	110	134	67	91	0.19	262.315	1	85	32108-0369	14.70
8108336	30°	35.0	130	164	81	115	0.38	262.316	1	45	32108-0370	30.20
8108337	30°	42.0	170	209	102	141	0.57	262.317	1	20	32108-0371	38.00
8108338	30°	54.0	220	249	141	170	0.90	262.318	1	15	32108-0372	49.00
8108339	30°	76.1	360	360	195	195	2.75	262.321	1		32108-0373	123.80
8108340	30°	88.9	416	416	260	260	3.60	262.322	1		32108-0374	139.40
8108341	30°	108.0	484	484	175	175	5.18	262.323	1		32108-0375	188.25
8108342	45°	15.0	80	137	39	96	0.07	262.312	1	150	32108-0376	12.70
8108343	45°	18.0	90	135	47	92	0.09	262.313	1	200	32108-0377	13.15
8108344	45°	22.0	100	132	53	85	0.14	262.314	1	120	32108-0378	13.65
8108345	45°	28.0	110	137	58	85	0.19	262.315	1	80	32108-0379	14.70
8108346	45°	35.0	130	168	71	109	0.37	262.316	1	45	32108-0380	30.20
8108347	45°	42.0	170	213	90	133	0.57	262.317	1	30	32108-0381	38.00
8108348	45°	54.0	220	254	125	159	0.88	262.318	1	13	32108-0382	49.00
8108352	60°	15.0	80	139	34	93	0.07	262.332	1	150	32108-0386	12.70
8108353	60°	18.0	90	138	41	89	0.09	262.333	1	100	32108-0387	13.15
8108354	60°	22.0	100	135	46	81	0.13	262.334	1	180	32108-0388	13.65
8108355	60°	28.0	110	141	49	80	0.18	262.335	1	80	32108-0389	14.70
8108356	60°	35.0	130	174	59	103	0.36	262.336	1	45	32108-0390	30.20
8108357	60°	42.0	170	220	76	126	0.58	262.337	1	30	32108-0391	38.00
8108358	60°	54.0	220	263	107	150	0.88	262.338	1	12	32108-0392	49.00
8108372	90°	15.0	80	150	22	92	0.07	262.332	1	150	32108-0406	12.70
8108373	90°	18.0	90	150	26	86	0.09	262.333	1	100	32108-0407	13.15
8108374	90°	22.0	100	150	28	78	0.14	262.334	1	100	32108-0408	13.65
8108375	90°	28.0	110	160	26	76	0.19	262.335	1	80	32108-0409	14.70
8108376	90°	35.0	130	200	30	100	0.37	262.336	1	55	32108-0410	30.20
8108377	90°	42.0	170	250	41	121	0.57	262.337	1	25	32108-0411	38.00
8108378	90°	54.0	220	300	62	142	0.89	262.338	1	13	32108-0412	49.00