

## Mapress T-Stück mit Innengewinde

- Pressindikator
- Unverpresst undicht
- Aussen verzinkt
- Dichtring aus CIIR schwarz
- Pressmuffe mit transparentem Schutzstopfen



Orig. Nr.	Ø d mm	Rp Zoll	Ø d1 mm	L cm	L1 cm	I cm	I2 cm	Z cm	Z1 cm	Z2 cm	Gewicht kg	NPK-Nr.	Stück	Stück	CHF Stück	
21301	12.0	3/8	12.0	5.6	3.3	2.8	2.8	1.1	2.3	1.1	0.07		1	6	32110-0835	13.90
21302	12.0	1/2	12.0	5.6	3.6	2.8	2.8	1.1	2.3	1.1	0.07	323.411	1	5	32110-0836	13.90
21304	15.0	1/2	15.0	6.4	3.7	3.2	3.2	1.2	2.4	1.2	0.08	323.412	1	20	32110-0837	8.50
21305	18.0	1/2	18.0	6.8	3.9	3.4	3.4	1.4	2.6	1.4	0.09	323.413	1	20	32110-0838	8.50
21307	22.0	1/2	22.0	7.4	4.0	3.7	3.7	1.6	2.7	1.6	0.12	323.414	1	20	32110-0839	9.30
21308	22.0	3/4	22.0	7.4	4.4	3.7	3.7	1.6	2.8	1.6	0.16		1	5	32110-1319	9.35
21309	28.0	1/2	28.0	8.4	4.4	4.2	4.2	1.9	3.1	1.9	0.15	323.415	1	10	32110-0840	11.10
21310	28.0	3/4	28.0	8.4	4.7	4.2	4.2	1.9	3.2	1.9	0.18		1	10	32110-0841	11.20
21311	28.0	1	28.0	8.4	5.3	4.2	4.2	1.9	3.6	1.9	0.25	323.415	1	5	32110-1428	11.20
21312	35.0	1/2	35.0	10.0	4.8	5.0	5.0	2.4	3.5	2.4	0.20	323.416	1	10	32110-0842	15.45
21313	35.0	3/4	35.0	10.0	5.1	5.0	5.0	2.4	3.6	2.4	0.22		1	5	32110-0843	15.05
21314	35.0	1	35.0	10.0	5.6	5.0	5.0	2.4	3.9	2.4	0.30		1	5	32110-1429	15.45
21316	42.0	1/2	42.0	11.4	5.1	5.7	5.7	2.7	3.8	2.7	0.25	323.417	1	4	32110-0844	23.10
21317	42.0	3/4	42.0	11.4	5.4	5.7	5.7	2.7	3.9	2.7	0.29		1	4	32110-0845	23.10
21318	42.0	1	42.0	11.4	6.0	5.7	5.7	2.7	4.3	2.7	0.36		1	5	32110-1430	23.10
21320	54.0	1/2	54.0	13.8	5.7	6.9	6.9	3.4	4.4	3.4	0.36	323.418	1	2	32110-0846	25.30
21321	54.0	3/4	54.0	13.8	6.0	6.9	6.9	3.4	4.5	3.4	0.39	323.418	1	2	32110-0847	25.30
21322	54.0	1	54.0	13.8	6.6	6.9	6.9	3.4	4.9	3.4	0.46	323.418	1	5	32110-1431	25.30
21324	54.0	2	54.0	13.8	7.9	6.9	6.9	3.4	5.6	3.4	0.71	323.418	1	10	32110-1451	25.30
21326	76.1	3/4	76.1	23.0	7.4	11.5	11.5	6.2	5.9	6.2	1.01	323.419	1	5	32110-1085	96.25
21329	76.1	2	76.1	23.0	9.1	11.5	11.5	6.2	6.8	6.2	1.29	323.419	1	5	32110-1452	96.25
21331	88.9	3/4	88.9	26.0	8.0	13.0	13.0	7.0	6.5	7.0	1.33	323.421	1	5	32110-1086	102.00
21334	88.9	2	88.9	26.0	9.7	13.0	13.0	7.0	7.4	7.0	1.60	323.421	1	5	32110-1453	102.00
21336	108.0	3/4	108.0	31.0	9	15.5	15.5	8.0	7.5	8.0	1.93	323.422	1	5	32110-1087	125.90

